

Table 1 Effect of temperature on the growth of *S. linearistipularis* seedlings

Temperature ( °C)	Seeding length (mm)	Germination potential (%)	Germination index	Vigor index
15	3.43 ± 0.25 <sup>c</sup>	27.00 ± 0.98 <sup>c</sup>	36.63 ± 1.21 <sup>c</sup>	32.90 ± 1.09 <sup>d</sup>
20	5.89 ± 0.36 <sup>cd</sup>	58.50 ± 2.86 <sup>b</sup>	67.13 ± 2.32 <sup>b</sup>	70.48 ± 2.35 <sup>c</sup>
25	9.57 ± 0.76 <sup>b</sup>	88.50 ± 3.88 <sup>a</sup>	99.85 ± 3.68 <sup>a</sup>	185.71 ± 7.25 <sup>b</sup>
30	10.61 ± 0.67 <sup>a</sup>	83.50 ± 3.24 <sup>a</sup>	94.38 ± 3.98 <sup>a</sup>	277.48 ± 10.37 <sup>a</sup>
35	6.72 ± 0.37 <sup>c</sup>	53.00 ± 2.94 <sup>b</sup>	57.05 ± 2.12 <sup>b</sup>	76.45 ± 1.23 <sup>c</sup>

Note: Data with different lowercase letters in the same row are significantly different at 0.05 level, the same below